


Scenes From the Field


Lewis Marshall



Patient numbers




Age Trends




Total services


Services



Trends




Number of chlamydia notifications by sex and area, WA, 2007 to 2016




Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)

Number and proportion of chlamydia notifications in 15-24 year olds by area, WA, 2007 to 2016




Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)

Number and rate of chlamydia notifications by age group, sex and area, WA, 2016




Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)

Number of gonorrhoea notifications by sex and area, WA, 2007 to 2016



Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)


Number and rate of gonorrhoea notifications by age group, sex and area, WA, 2016




Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)

Trends

Syphilis



Number of infectious syphilis notifications by sex and area, WA, 2007 to 2016



Source: Immunisation, Surveillance and Disease Control Program, Communicable Disease Control Directorate (CDCD)


STI, BBV and HIV Aboriginal:non-Aboriginal rate ratios¹ by area, WA, 2016

Infection	Aboriginal:Non-Aboriginal Rate Ratio	
	Metro	Non-metro
Chlamydia	2:1	5:1
Gonorrhoea	3:1	34:1
Infectious syphilis	1:1	16:1
Hepatitis B (Total)	2:1	4:1
Hepatitis C (Total)	15:1	5:1


¹ Ratio of age-standardised notification rates

Trends

Warts



Trends



Issues

- Condom fatigue
- PREP
- Screening barriers
 - Nurses
- Social Media
 - Good and Bad
- Mycoplasma genitalium
- Antibiotic resistance